SMD
www.smd-medical.com

Zinc Oxide Plaster

Instructions For Use:

- It is multipurpose use as fixing IV cannula, catheters and other wound dressing.
- Clean and dry the place where needed.
- Cut the size as request. Fixed on the place where needed.

Features:

- Material: cotton and zinc oxide.
- Size: 1.25cm, 2.5cm, 5cm, 7.5cm, 10cm.
- Length: 5m, 4.6m, 9.2m.
- Reliable adhesiveness, low sensitization, excellent compliance, no residue glue.

Size	10y-9.2m/Ref	5y-4.6m/Ref	5m/Ref	Material
1.25cm(1/2")	81-9.2-1-16B	81-4.6-1-16B	81-5-1-16B	Cotton and zinc oxide
2.5cm(1")	81-9.2-2-16B	81-4.6-2-16B	81-5-2-16B	Cotton and zinc oxide
5.0cm(2")	81-9.2-3-16B	81-4.6-3-16B	81-5-3-16B	Cotton and zinc oxide
7.5cm(3")	81-9.2-4-16B	81-4.6-4-16B	81-5-4-16B	Cotton and zinc oxide
10cm(4")	81-9.2-5-16B	81-4.6-5-16B	81-5-5-16B	Cotton and zinc oxide

Caution:

1. This product is for single use only, discard after single use.

2. Do not use it if the package be affected with damp, or the product went moldy.

3. Do not use after expiry date. If over the expiry date, please discard it.

4. Single use only. Latex free.

Storage:

Store in a cool, dry and dark place. Avoid direct sunlight.

Zinc Oxide Plaster

Secured Medical Direction UK Co., Ltd.
Wayson Commercial Bldg 28 Con-naught Rd West Sheung Wan HK, P.R.C.
EC REP Secured Medical Direction UK Co., Ltd.
St. James House 13 Kensington Square W8 5HD London U.K.
www.smd-medical.com